

# STATE SENATORS AND REPRESENTATIVES VISIT CENTER

11/15/2017 to Texas S

at the invitation of the Cna

ember of Commerce. A f

2017 by the De

They were  
merican merienda in the Hensz Auditorium, and  
are addressed by the Texas A & M University

Max

11/23/2017

2017

Teach visitor was  
handed a box of Iggo Red grapefruit as they left.

John da Graca


## THE "ORANGE-IN-THE-BUSH" CITRUS

rus is believed to have its origins in southern China some 30 million years ago. Its taxonomy is a complex and universal and sometimes confusing, with two classification systems used in parallel, one devised by Swingle and Rebertus and the other by

Winters. Rangpur lime and rough lemon are derived from *C. aurantium* X *C. microcarpa*.  
— Rangpur lime and rough lemon are derived from *C. aurantium* X *C. microcarpa*.

X *C. latifolia*. Mexican lime is derived from a citron (*C. micrantha*) closely related to

— Mexican lime is derived from a citron (*C. micrantha*) closely related to



STREAK

center introduced an Emerald

Beach, two writers for mass circulation news-  
papers visited the Center to learn more about Texas

At Howard and Dr. Hensz, the Co-

write and as an author, they are

ingang \* \* \* \* \* scientists at the center. He also met with  
the retired Director, Dr Richard Hensz. He has previ-

Manuel Reyes (San Antonio, Texas) and a writer from  
w. relay Apple who Terry M. \* \* \* \* \* which articles about citrus in Cali  
exists of the \* \* \* \* \* citrus orchard about planned  
writes for the New York Times